

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in TN, by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	295	39	12.7	65	23	2.7	360	35	7.6
Black, not Hispanic	420	56	90.4	207	73	39.6	627	61	63.5
Hispanic	29	4	37.7	11	4	20.8	40	4	30.8
Asian/Pacific Islander	5	1	15.8	0	0	0.0	5	0	7.6
American Indian/Alaska Native	1	0	12.1	0	0	0.0	1	0	6.2
Unknown/Multiple Race	1	0	a	0	0	a	1	0	a
Total	751	100	25.9	283	100	9.3	1,034	100	17.3

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and age at diagnosis, 2005

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	1	0	3	1	4	0
13-14	0	0	0	0	0	0
15-24	114	15	48	17	162	16
25-34	191	25	77	27	268	26
35-44	257	34	85	30	342	33
45-54	135	18	43	15	178	17
55-64	43	6	22	8	65	6
>=65	10	1	5	2	15	1
Total	751	100	283	100	1,034	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and exposure category, 2005

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	441	59	a	a	441	43
Injection drug use (IDU)	21	3	10	4	31	3
Male-to-male sex and IDU	13	2	a	a	13	1
Heterosexual contact	55	7	148	52	203	20
Mother with/at risk for HIV	1	0	3	1	4	0
Other/unknown	220	29	122	43	342	33
Total	751	100	283	100	1,034	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by race/ethnicity and exposure category, 2005

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	211	59	220	35	8	20	0	0	1	100	1	100	441	43
Injection drug use (IDU)	18	5	11	2	2	5	0	0	0	0	0	0	31	3
Male-to-male sex and IDU	10	3	3	0	0	0	0	0	0	0	0	0	13	1
Heterosexual contact	33	9	158	25	11	28	1	20	0	0	0	0	203	20
Mother with/at risk for HIV	1	0	3	0	0	0	0	0	0	0	0	0	4	0
Other/unknown	87	24	232	37	19	48	4	80	0	0	0	0	342	33
Total	360	100	627	100	40	100	5	100	1	100	1	100	1,034	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in TN, by sex and tuberculosis comorbidity, 2005

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	747	99	282	100	1,029	100
Definitive case	4	1	1	0	5	0
Presumptive case	0	0	0	0	0	0
Total	751	100	283	100	1,034	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in TN, by sex and race/ethnicity, 2005

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	91	34	3.9	17	18	0.7	108	30	2.3
Black, not Hispanic	169	62	36.4	71	77	13.6	240	66	24.3
Hispanic	6	2	7.8	2	2	3.8	8	2	6.2
Asian/Pacific Islander	1	0	3.2	0	0	0.0	1	0	1.5
American Indian/Alaska Native	1	0	12.1	0	0	0.0	1	0	6.2
Unknown/Multiple Race	3	1	a	2	2	a	5	1	a
Total	271	100	9.3	92	100	3.0	363	100	6.1

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	716	738	710	719	751	15,004
Females	275	293	260	282	283	4,368
Total	991	1,031	970	1,001	1,034	19,372

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	354	360	336	354	360	8,388
Black, not Hispanic	615	626	596	593	627	10,486
Hispanic	16	33	29	46	40	378
Asian/Pacific Islander	4	4	6	1	5	48
American Indian/Alaska Native	1	1	0	1	1	15
Unknown/Multiple Race	1	7	3	6	1	57
Total	991	1,031	970	1,001	1,034	19,372

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	307	299	272	287	295	7,260
White, not Hispanic: Female	47	61	64	67	65	1,128
Black, not Hispanic: Male	393	405	412	392	420	7,365
Black, not Hispanic: Female	222	221	184	201	207	3,121
Hispanic: Male	10	26	20	36	29	295
Hispanic: Female	6	7	9	10	11	83
Asian/Pacific Islander: Male	4	4	4	0	5	36
Asian/Pacific Islander: Female	0	0	2	1	0	12
American Indian/Alaska Native: Male	1	0	0	0	1	11
American Indian/Alaska Native: Female	0	1	0	1	0	4
Unknown/Multiple Race: Male	1	4	2	4	1	37
Unknown/Multiple Race: Female	0	3	1	2	0	20
Total	991	1,031	970	1,001	1,034	19,372

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	7	4	7	6	4	158
13-14	1	1	1	0	0	19
15-24	167	148	175	159	162	2,774
25-34	253	327	267	287	268	7,462
35-44	336	319	309	314	342	5,946
45-54	172	161	153	178	178	2,192
55-64	42	57	44	48	65	639
>=65	13	14	14	9	15	182
Total	991	1,031	970	1,001	1,034	19,372

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in TN, by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	449	456	423	418	441	9,583
Injection drug use (IDU)	74	62	56	59	31	2,427
Male-to-male sex and IDU	24	12	26	18	13	891
Heterosexual contact	282	291	226	223	203	3,964
Mother with/at risk for HIV	7	4	6	6	4	133
Other/unknown	155	206	233	277	342	2,374
Total	991	1,031	970	1,001	1,034	19,372

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	348	389	384	402	463	5,345
Females	163	167	157	184	202	2,127
Total	511	556	541	586	665	7,472

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	187	195	182	198	218	2,907
Black, not Hispanic	313	339	340	362	423	4,368
Hispanic	8	16	14	21	20	152
Asian/Pacific Islander	3	3	4	1	3	25
American Indian/Alaska Native	0	1	0	1	0	4
Unknown/Multiple Race	0	2	1	3	1	16
Total	511	556	541	586	665	7,472

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	160	157	149	160	172	2,385
White, not Hispanic: Female	27	38	33	38	46	522
Black, not Hispanic: Male	181	214	221	227	274	2,818
Black, not Hispanic: Female	132	125	119	135	149	1,550
Hispanic: Male	4	14	10	13	13	110
Hispanic: Female	4	2	4	8	7	42
Asian/Pacific Islander: Male	3	3	3	0	3	18
Asian/Pacific Islander: Female	0	0	1	1	0	7
American Indian/Alaska Native: Male	0	0	0	0	0	1
American Indian/Alaska Native: Female	0	1	0	1	0	3
Unknown/Multiple Race: Male	0	1	1	2	1	13
Unknown/Multiple Race: Female	0	1	0	1	0	3
Total	511	556	541	586	665	7,472

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	7	3	7	4	3	87
13-14	1	1	1	0	0	13
15-24	118	103	140	121	142	1,464
25-34	143	195	168	175	185	2,798
35-44	167	161	135	169	202	2,109
45-54	56	62	64	94	98	745
55-64	15	29	21	21	32	211
>=65	4	2	5	2	3	45
Total	511	556	541	586	665	7,472

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in TN, by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	226	242	234	219	272	3,274
Injection drug use (IDU)	35	27	21	30	20	791
Male-to-male sex and IDU	8	5	10	10	6	223
Heterosexual contact	144	152	134	138	133	1,758
Mother with/at risk for HIV	7	3	6	4	3	84
Other/unknown	91	127	136	185	231	1,342
Total	511	556	541	586	665	7,472

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	464	559	506	523	596	9,659
Females	173	181	199	171	213	2,241
Total	637	740	705	694	809	11,900

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	208	247	245	238	268	5,481
Black, not Hispanic	418	466	439	421	502	6,118
Hispanic	7	17	15	29	33	226
Asian/Pacific Islander	0	2	3	0	2	23
American Indian/Alaska Native	1	0	0	0	1	11
Unknown/Multiple Race	3	8	3	6	3	41
Total	637	740	705	694	809	11,900

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	172	217	190	195	218	4,875
White, not Hispanic: Female	36	30	55	43	50	606
Black, not Hispanic: Male	281	323	305	301	348	4,547
Black, not Hispanic: Female	137	143	134	120	154	1,571
Hispanic: Male	7	14	9	23	25	185
Hispanic: Female	0	3	6	6	8	41
Asian/Pacific Islander: Male	0	2	1	0	2	18
Asian/Pacific Islander: Female	0	0	2	0	0	5
American Indian/Alaska Native: Male	1	0	0	0	1	10
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	3	3	1	4	2	24
Unknown/Multiple Race: Female	0	5	2	2	1	17
Total	637	740	705	694	809	11,900

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and age at diagnosis

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	1	0	2	1	58
13-14	0	0	0	0	0	4
15-24	44	46	37	48	46	697
25-34	166	201	175	185	195	4,271
35-44	242	284	292	265	313	4,400
45-54	140	150	157	141	177	1,811
55-64	33	45	35	39	58	505
>=65	12	13	9	14	19	154
Total	637	740	705	694	809	11,900

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in TN, by year of diagnosis and exposure category

	2001	2002	2003	2004	2005	Cumulative cases through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	290	351	310	303	347	6,309
Injection drug use (IDU)	86	90	96	86	57	1,636
Male-to-male sex and IDU	21	24	23	25	18	668
Heterosexual contact	175	184	171	161	202	2,206
Mother with/at risk for HIV	0	1	0	2	1	49
Other/unknown	65	90	105	117	184	1,032
Total	637	740	705	694	809	11,900

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and sex

	2001	2002	2003	2004	2005
Sex	No.	No.	No.	No.	No.
Males	7,841	8,289	8,720	9,158	9,638
Females	2,564	2,751	2,921	3,099	3,290
Total	10,405	11,040	11,641	12,257	12,928

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and race/ethnicity

	2001	2002	2003	2004	2005
Race/ethnicity	No.	No.	No.	No.	No.
White, not Hispanic	4,404	4,636	4,853	5,091	5,343
Black, not Hispanic	5,755	6,116	6,473	6,812	7,199
Hispanic	178	208	233	268	300
Asian/Pacific Islander	27	31	37	37	41
American Indian/Alaska Native	7	8	8	9	9
Unknown/Multiple Race	34	41	37	40	36
Total	10,405	11,040	11,641	12,257	12,928

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and race/ethnicity:sex

	2001	2002	2003	2004	2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	3,745	3,937	4,111	4,303	4,507
White, not Hispanic: Female	659	699	742	788	836
Black, not Hispanic: Male	3,914	4,139	4,374	4,590	4,841
Black, not Hispanic: Female	1,841	1,977	2,099	2,222	2,358
Hispanic: Male	137	160	178	207	230
Hispanic: Female	41	48	55	61	70
Asian/Pacific Islander: Male	19	23	27	27	31
Asian/Pacific Islander: Female	8	8	10	10	10
American Indian/Alaska Native: Male	5	5	5	5	5
American Indian/Alaska Native: Female	2	3	3	4	4
Unknown/Multiple Race: Male	21	25	25	26	24
Unknown/Multiple Race: Female	13	16	12	14	12
Total	10,405	11,040	11,641	12,257	12,928

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and current age

	2001	2002	2003	2004	2005
Current age (yrs)	No.	No.	No.	No.	No.
<13	59	63	70	76	80
13-14	5	5	4	4	4
15-24	158	223	312	418	562
25-34	1,732	1,934	2,157	2,381	2,580
35-44	4,378	4,580	4,736	4,930	5,170
45-54	3,024	3,134	3,221	3,297	3,372
55-64	850	891	924	940	948
>=65	199	210	217	211	212
Total	10,405	11,040	11,641	12,257	12,928

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in TN, by year and exposure category

	2001	2002	2003	2004	2005
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	5,021	5,318	5,597	5,861	6,166
Injection drug use (IDU)	1,487	1,484	1,462	1,457	1,432
Male-to-male sex and IDU	459	449	451	452	447
Heterosexual contact	2,372	2,557	2,704	2,826	2,936
Mother with/at risk for HIV	87	91	96	102	106
Other/unknown	979	1,141	1,331	1,559	1,841
Total	10,405	11,040	11,641	12,257	12,928

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Sex	No.	No.	No.	No.	No.	No.
Males	272	290	279	281	271	5,366
Females	101	106	90	104	92	1,078
Total	373	396	369	385	363	6,444

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and race/ethnicity

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	124	128	119	116	108	3,045
Black, not Hispanic	245	265	239	254	240	3,287
Hispanic	3	3	4	11	8	78
Asian/Pacific Islander	0	0	0	1	1	7
American Indian/Alaska Native	0	0	0	0	1	6
Unknown/Multiple Race	1	0	7	3	5	21
Total	373	396	369	385	363	6,444

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and race/ethnicity:sex

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Race/ethnicity:Sex	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	103	107	98	95	91	2,753
White, not Hispanic: Female	21	21	21	21	17	292
Black, not Hispanic: Male	165	180	177	176	169	2,524
Black, not Hispanic: Female	80	85	62	78	71	763
Hispanic: Male	3	3	2	7	6	65
Hispanic: Female	0	0	2	4	2	13
Asian/Pacific Islander: Male	0	0	0	0	1	5
Asian/Pacific Islander: Female	0	0	0	1	0	2
American Indian/Alaska Native: Male	0	0	0	0	1	6
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	1	0	2	3	3	13
Unknown/Multiple Race: Female	0	0	5	0	2	8
Total	373	396	369	385	363	6,444

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and age at death

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	32
13-14	0	0	1	0	0	2
15-24	19	7	6	10	4	172
25-34	75	73	57	56	63	1,940
35-44	152	155	162	138	114	2,476
45-54	89	113	100	122	108	1,238
55-64	22	37	34	43	59	425
>=65	16	11	9	16	15	159
Total	373	396	369	385	363	6,444

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

Epi Profile
Numbers of deaths among persons with HIV/AIDS in TN, by year of death and exposure category

	2001	2002	2003	2004	2005	Cumulative deaths through 2005
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	158	159	144	154	136	3,417
Injection drug use (IDU)	73	65	78	64	56	995
Male-to-male sex and IDU	18	22	24	17	18	444
Heterosexual contact	88	106	79	101	93	1,028
Mother with/at risk for HIV	0	0	1	0	0	27
Other/unknown	36	44	43	49	60	533
Total	373	396	369	385	363	6,444

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.